



LEVEL

MARMI
12 mm | 6,5 mm



AGATA BLU

BOOKMATCH



AGATA BLU A

12MM Non Rettificato
EK6X 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EK7X 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*


AGATA BLU B

12MM Non Rettificato
EK6Y 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EK7Y 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



ALTISSIMO WHITE



ALTISSIMO WHITE
 12MM Non Rettificato
EFZG 162x324 - 63^{25/32}"x127^{9/16}" Naturale
E0ZQ 162x324 - 63^{25/32}"x127^{9/16}" Naturale - Stuoiato | Mesh-Mounted*
EFZU 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
E0ZW 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*



ALTISSIMO WHITE
 6,5MM Rettificato
EFZN 160x320 - 62^{63/64}"x125^{63/64}" Naturale
EGFM 160x320 - 62^{63/64}"x125^{63/64}" Naturale - Stuoiato | Mesh-Mounted*
EFZ7 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato
EGG7 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



ARABESCATO CORCHIA

BOOKMATCH



ARABESCATO CORCHIA A

12MM Non Rettificato
EJ1Y 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EJ2F 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*

ARABESCATO CORCHIA B

12MM Non Rettificato
EJ6S 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EJ6X 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



BIANCO LASA



BIANCO LASA
 **6,5MM Rettificato**
EFZL 160x320 - 62^{63/64"}x125^{63/64"} Naturale
EGFK 160x320 - 62^{63/64"}x125^{63/64"} Naturale - **Stuoiato | Mesh-Mounted***
EFZY 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato
EGG3 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only



BLANC DU BLANC

BOOKMATCH



BLANC DU BLANC A
12MM Non Rettificato
EK8S 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EK8V 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*

BLANC DU BLANC B
12MM Non Rettificato
EK8T 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EK8W 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



CALACATTA

BOOKMATCH



CALACATTA A

 **12MM Non Rettificato**
EFKS 162x324 - 63^{25/32}"x127^{9/16}" Naturale
E0YG 162x324 - 63^{25/32}"x127^{9/16}" Naturale - **Stuoiato** | **Mesh-Mounted***
EFJ2 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
E0YX 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - **Stuoiato** | **Mesh-Mounted***

 **6,5MM Rettificato**
E049 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato
EGFR 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato - **Stuoiato** | **Mesh-Mounted***

CALACATTA B

 **12MM Non Rettificato**
EFKT 162x324 - 63^{25/32}"x127^{9/16}" Naturale
E0YH 162x324 - 63^{25/32}"x127^{9/16}" Naturale - **Stuoiato** | **Mesh-Mounted***
EFKE 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
E0YY 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - **Stuoiato** | **Mesh-Mounted***

 **6,5MM Rettificato**
E04A 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato
EGFS 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato - **Stuoiato** | **Mesh-Mounted***



CALACATTA

 **6,5MM Rettificato**
E048 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato
EGFQ 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato - **Stuoiato** | **Mesh-Mounted***

* Solo su richiesta | On demand only




CALACATTA BLACK

BOOKMATCH



CALACATTA BLACK A
⊞ 12MM Non Rettificato
EJ1V 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EJ2D 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*

CALACATTA BLACK B
⊞ 12MM Non Rettificato
EJ1W 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EJ2E 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*



CALACATTA BLACK
⊞ 6,5MM Rettificato
EJ1S 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato
EJ29 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



CALACATTA GOLD

BOOKMATCH



CALACATTA GOLD A
12MM Non Rettificato
E079 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
E0YZ 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*

CALACATTA GOLD B
12MM Non Rettificato
E07A 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
E0Z0 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*



CALACATTA GOLD
6,5MM Rettificato
EJ1Q 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato
EJ27 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only




CALACATTA PAONAZZO

BOOKMATCH



CALACATTA PAONAZZO A
12MM Non Rettificato
EGJ7 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EGJK 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*

CALACATTA PAONAZZO B
12MM Non Rettificato
EGJV 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EGK7 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*



CALACATTA PAONAZZO
6,5MM Rettificato
EKEL 160x320 - 62^{53/64}"x125^{63/64}" Full Lappato
EKEQ 160x320 - 62^{53/64}"x125^{63/64}" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



CALACATTA RENOIR

BOOKMATCH




CALACATTA RENOIR A
12MM Non Rettificato
EFJZ 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EZZZ 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*

CALACATTA RENOIR B
12MM Non Rettificato
EFJ0 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EDED 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only

CRYSTAL DIAMOND



CRYSTAL DIAMOND
12MM Non Rettificato
EGJ5 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
EGJH 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato - Stuoiato | Mesh-Mounted*
EGJC 162x324 - 63^{25/32"}x127^{9/16"} Lappato Matt
EGJQ 162x324 - 63^{25/32"}x127^{9/16"} Lappato Matt - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only




GRANITO BLU ANDE

BOOKMATCH



GRANITO BLU ANDE A
⊞ 12MM Non Rettificato
EGJ8 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EGJL 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*

GRANITO BLU ANDE B
⊞ 12MM Non Rettificato
EGJW 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EGK8 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*



GRANITO BLU ANDE
⊞ 6,5MM Rettificato
EJ1R 160x320 - 62^{53/64}"x125^{53/64}" Full Lappato
EJ28 160x320 - 62^{53/64}"x125^{53/64}" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



INVISIBLE

BOOKMATCH



INVISIBLE A

 12MM Non Rettificato
EFKU 162x324 - 63^{25/32}”x127^{9/16}” Naturale
E0YE 162x324 - 63^{25/32}”x127^{9/16}” Naturale - Stuoiato | Mesh-Mounted*

INVISIBLE B

 12MM Non Rettificato
EFKV 162x324 - 63^{25/32}”x127^{9/16}” Naturale
E0YF 162x324 - 63^{25/32}”x127^{9/16}” Naturale - Stuoiato | Mesh-Mounted*



INVISIBLE

 6,5MM Rettificato
E044 160x320 - 62^{63/64}”x125^{63/64}” Naturale
EGFG 160x320 - 62^{63/64}”x125^{63/64}” Naturale - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



MACCHIA VECCHIA

BOOKMATCH



MACCHIA VECCHIA A
12MM Non Rettificato
EHZV 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
EJ18 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato - Stuoiato | Mesh-Mounted*
EJ6U 162x324 - 63^{25/32"}x127^{9/16"} Lappato Matt
EJ6Z 162x324 - 63^{25/32"}x127^{9/16"} Lappato Matt - Stuoiato | Mesh-Mounted*

MACCHIA VECCHIA B
12MM Non Rettificato
EHZW 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
EJ19 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato - Stuoiato | Mesh-Mounted*
EJ6V 162x324 - 63^{25/32"}x127^{9/16"} Lappato Matt
EJ70 162x324 - 63^{25/32"}x127^{9/16"} Lappato Matt - Stuoiato | Mesh-Mounted*



MACCHIA VECCHIA
6,5MM Rettificato
EKEM 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato
EKER 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



MARQUINIA


BOOKMATCH



MARQUINIA (ELEGANT) A
 12MM Non Rettificato
EFZW 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
E0ZY 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*

MARQUINIA (ELEGANT)
 12MM Non Rettificato
EFZJ 162x324 - 63^{25/32}"x127^{9/16}" Naturale
E0ZS 162x324 - 63^{25/32}"x127^{9/16}" Naturale - Stuoiato | Mesh-Mounted*

MARQUINIA (ELEGANT) B
 12MM Non Rettificato
EH14 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EH1J 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*




MARQUINIA (ELEGANT)
 6,5MM Rettificato
EFZQ 160x320 - 62^{63/64}"x125^{63/64}" Naturale
EGFN 160x320 - 62^{63/64}"x125^{63/64}" Naturale - Stuoiato | Mesh-Mounted*
EFZ9 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato
EGG9 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



NERO ANTICO




NERO ANTICO
6,5MM Rettificato
E04F 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato
EGFW 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



NERO IMPERIALE

BOOKMATCH




NERO IMPERIALE A
 **12MM Non Rettificato**
 EGGU 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
 EGH3 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato - **Stuoiato | Mesh-Mounted***

NERO IMPERIALE B
 **12MM Non Rettificato**
 EH15 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
 EH1K 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato - **Stuoiato | Mesh-Mounted***



NERO IMPERIALE
 **12MM Non Rettificato**
 EGGS 162x324 - 63^{25/32"}x127^{9/16"} Naturale
 EGH1 162x324 - 63^{25/32"}x127^{9/16"} Naturale - **Stuoiato | Mesh-Mounted***



NERO IMPERIALE
 **6,5MM Rettificato**
 EGGP 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato
 EGGY 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only



ONYX


BOOKMATCH



ONYX A
12MM Non Rettificato
E07D 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
E0Z2 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato - Stuoiato | Mesh-Mounted*


ONYX B
12MM Non Rettificato
EDET 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
EDEX 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



ONYX BLACK

BOOKMATCH



ONYX BLACK A

12MM Non Rettificato
EK6V 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
EK7V 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato - Stuoiato | Mesh-Mounted*

ONYX BLACK B

12MM Non Rettificato
EK6W 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
EK7W 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only

QUARZO

BOOKMATCH



QUARZO A

 **12MM Non Rettificato**
EFKR 162x324 - 63^{25/32"}x127^{9/16"} Naturale
E0YC 162x324 - 63^{25/32"}x127^{9/16"} Naturale
Stuoiato | Mesh-Mounted*
EFJ1 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
E0YS 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
Stuoiato | Mesh-Mounted*

QUARZO B

 **12MM Non Rettificato**
E0ZK 162x324 - 63^{25/32"}x127^{9/16"} Naturale
E0YD 162x324 - 63^{25/32"}x127^{9/16"} Naturale
Stuoiato | Mesh-Mounted*
E0ZM 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
E0YT 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
Stuoiato | Mesh-Mounted*

 **6,5MM Rettificato**
EDG3 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato
EGG0 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato
Stuoiato | Mesh-Mounted*

 **6,5MM Rettificato**
EDEP 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato
EGG1 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato
Stuoiato | Mesh-Mounted*



QUARZO


 **6,5MM Rettificato**
E046 160x320 - 62^{63/64"}x125^{63/64"} Naturale
EGFH 160x320 - 62^{63/64"}x125^{63/64"} Naturale - Stuoiato | Mesh-Mounted*
E04G 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato
EGFZ 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



STATUARIO EXTRA

BOOKMATCH



STATUARIO EXTRA A

- 12MM Non Rettificato
- EGJ9 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
- EGJM 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*
- EGJD 162x324 - 63^{25/32}"x127^{9/16}" Lappato Matt
- EGJR 162x324 - 63^{25/32}"x127^{9/16}" Lappato Matt - Stuoiato | Mesh-Mounted*

6,5MM Rettificato

- EJ1N 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato
- EJ25 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato - Stuoiato | Mesh-Mounted*

STATUARIO EXTRA B

- 12MM Non Rettificato
- EGJX 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
- EGK9 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*
- EGK1 162x324 - 63^{25/32}"x127^{9/16}" Lappato Matt
- EGLE 162x324 - 63^{25/32}"x127^{9/16}" Lappato Matt - Stuoiato | Mesh-Mounted*

6,5MM Rettificato

- EJ1P 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato
- EJ26 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato - Stuoiato | Mesh-Mounted*



STATUARIO EXTRA

- 6,5MM Rettificato
- EJ1L 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato
- EJ24 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato - Stuoiato | Mesh-Mounted*


* Solo su richiesta | On demand only





STATUARIO MICHELANGELO

BOOKMATCH



STATUARIO MICHELANGELO A

-  12MM Non Rettificato
- EFKG 162x324 - 63²⁵/₃₂"x127⁹/₁₆" Full Lappato
- EDEF 162x324 - 63²⁵/₃₂"x127⁹/₁₆" Full Lappato - Stuoiato | Mesh-Mounted*
- EHNN 162x324 - 63²⁵/₃₂"x127⁹/₁₆" Lappato Matt
- EGLF 162x324 - 63²⁵/₃₂"x127⁹/₁₆" Lappato Matt - Stuoiato | Mesh-Mounted*

STATUARIO MICHELANGELO B

-  12MM Non Rettificato
- EFKH 162x324 - 63²⁵/₃₂"x127⁹/₁₆" Full Lappato
- EDEG 162x324 - 63²⁵/₃₂"x127⁹/₁₆" Full Lappato - Stuoiato | Mesh-Mounted*
- EHNP 162x324 - 63²⁵/₃₂"x127⁹/₁₆" Lappato Matt
- EGLG 162x324 - 63²⁵/₃₂"x127⁹/₁₆" Lappato Matt - Stuoiato | Mesh-Mounted*



STATUARIO MICHELANGELO

-  6,5MM Rettificato
- EKEK 160x320 - 62⁶³/₆₄"x125⁶³/₆₄" Full Lappato
- EKEP 160x320 - 62⁶³/₆₄"x125⁶³/₆₄" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only





STATUARIO WHITE

BOOKMATCH



STATUARIO WHITE A
6,5MM Rettificato
EFZZ 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato
EGG5 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato - Stuoiato | Mesh-Mounted*

STATUARIO WHITE
12MM Non Rettificato
EFK1 162x324 - 63^{25/32"}x127^{9/16"} Naturale
E0ZP 162x324 - 63^{25/32"}x127^{9/16"} Naturale - Stuoiato | Mesh-Mounted*
EFZT 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato
E0ZV 162x324 - 63^{25/32"}x127^{9/16"} Full Lappato - Stuoiato | Mesh-Mounted*

STATUARIO WHITE B
6,5MM Rettificato
EF6Y 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato
EGG6 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato - Stuoiato | Mesh-Mounted*



STATUARIO WHITE
6,5MM Rettificato
EFZM 160x320 - 62^{63/64"}x125^{63/64"} Naturale
EGFL 160x320 - 62^{63/64"}x125^{63/64"} Naturale - Stuoiato | Mesh-Mounted*
E0KS 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato
EGG4 160x320 - 62^{63/64"}x125^{63/64"} Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only





TORTORA TAFU



TORTORA TAFU
 12MM Non Rettificato
EFZK 162x324 - 63^{25/32}"x127^{9/16}" Naturale
E0ZT 162x324 - 63^{25/32}"x127^{9/16}" Naturale - Stuoiato | Mesh-Mounted*
EFZX 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
E0Z3 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*



TORTORA TAFU
 6,5MM Rettificato
EJ1T 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato
EJ2A 160x320 - 62^{63/64}"x125^{63/64}" Full Lappato - Stuoiato | Mesh-Mounted*

* Solo su richiesta | On demand only



WHITE PARADISE

BOOKMATCH



WHITE PARADISE A

 12MM Non Rettificato
EJ72 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EJ75 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - **Stuoiato | Mesh-Mounted***

WHITE PARADISE B

 12MM Non Rettificato
EJ73 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EJ76 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only



ZEBRINO















ZEBRINO
12MM Non Rettificato
EGJ6 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato
EGJJ 162x324 - 63^{25/32}"x127^{9/16}" Full Lappato - Stuoiato | Mesh-Mounted*






* Solo su richiesta | On demand only



LEVEL


TECHNICAL SHEET

Range	1600x3200 - 6,5 mm											
	Naturale				Full Lappato				BookMatch Full Lappato			
Altissimo White	 EFZN				 EFZ7							
Bianco Lasa	 EFZL				 EFZY							
Calacatta					 E048				 A E049 B E04A			
Calacatta Black					 EJ1S							
Calacatta Gold					 EJ1Q							
Calacatta Paonazzo					 EKEL							
Granito Blu Ande					 EJ1R							
Invisible	 E044											
Macchia Vecchia					 EKEM							
Marquinia (Elegant)	 EFZQ				 EFZ9							
Nero Antico					 E04F							
Nero Imperiale					 EGGP							
Quarzo	 E046				 E04G				 A EDG3 B EDEP			






LEVEE Range	1600x3200 - 6,5 mm		
	Naturale	Full Lappato	BookMatch Full Lappato
Statuario Extra		 EJ1L	 A EJ1N B EJ1P
Statuario Michelangelo		 EKEK	
Statuario White	 EFZM	 EOKS	 A EFZZ B EF5Y
Tortora Tafu		 EJ1T	
Concrete Ash	 EFJQ		
Concrete Dark Grey	 EDH6		
Concrete Taupe	 EDG7		
Concrete White	 EDG5		
Stone Grigio di Gré	 EGGM		
Stone Slate Black	 EHUY		
Stone Slate Grey	 EHUX		
Tinta Unita White	 E04J	 EFR8	









L E V E Range	1620x3240 - 12 mm					
	Naturale	Full Lapp.	Lapp. Matt	BookMatch Naturale	BookMatch Full Lapp.	BookMatch Lapp. Matt
Agata Blu					 EK6X EK6Y	
Altissimo White	 EFZG	 EFZU				
Arabescato Corchia					 EJ1Y EJ6S	
Blanc Du Blanc					 EK8S EK8T	
Calacatta				 EFKS EFKT	 EFJ2 EFKE	
Calcatta Black					 EJ1V EJ1W	
Calacatta Gold					 E079 E07A	
Calacatta Paonazzo					 EGJ7 EGJV	
Calacatta Renoir					 EFJZ EFJO	
Crystal Diamond		 EGJ5	 EGJC			
Granito Blu Ande					 EGJ8 EGJW	
Invisible				 EFKU EFKV		
Macchia Vecchia					 EHZV EHZW	 EJ6U EJ6V

LEVEE Range	1620x3240 - 12 mm					
	Naturale	Full Lapp.	Lapp. Matt	BookMatch Naturale	BookMatch Full Lapp.	BookMatch Lapp. Matt
Marquinia (Elegant)	 EFZJ				 A  B EFZW EH14	
Nero Imperiale	 EGGS				 A  B EGGU EH15	
Onyx					 A  B E07D EDET	
Onyx Black					 A  B EK6V EK6W	
Quarzo				 A  B EFKR EOZK	 A  B EFJ1 EOZM	
Statuario Extra					 A  B EGJ9 EGJX	 A  B EGJD EGK1
Statuario Michelangelo					 A  B EFGK EFKH	 A  B EHNN EHNP
Statuario White	 EFK1	 EFZT				
Tortora Tafu	 EFZK	 EFZX				
White Paradise					 A  B EJ72 EJ73	
Zebrino		 EGJ6				







LEVEL Range	1620x3240 - 12 mm					
	Naturale	Full Lapp.	Lapp. Matt	BookMatch Naturale	BookMatch Full Lapp.	BookMatch Lapp. Matt
Concrete Ash	 EFJL					
Concrete Dark Grey	 E0ZH					
Concrete Taupe	 EFJV					
Concrete White	 EFKY					
Design Corten	 EHEG					
Design Raku Nero	 EFJ7					
Stone Basalto	 EKCE					
Stone Grigio di Gré	 EGH9					
Stone Slate Black	 EHEC					
Stone Slate Grey	 EHEA					
Tinta Unita Black	 EGH5					
Tinta Unita White	 EFR7	 E04L				

LEVEL Range	1620x3240 - 20 mm					
	Naturale	Full Lapp.	Lapp. Matt	BookMatch Naturale	BookMatch Full Lapp.	BookMatch Lapp. Matt
Stone Basalto	 EKFL 					
Stone Cantera Grey	 EKCN 					
Tinta Unita Black	 EKCK 					
Tinta Unita White	 EKCJ 					

Range	1600x3200 - 6,5 mm STUOIATO - MESH-MOUNTED		
	Naturale	Full Lappato	BookMatch Full Lappato
Altissimo White	 EGFM	 EGG7	
Bianco Lasa	 EGFK	 EGG3	
Calacatta		 EGFQ	 A EGFR B EGFS
Calacatta Black		 EJ29	
Calacatta Gold		 EJ27	
Calacatta Paonazzo		 EKEQ	
Granito Blu Ande		 EJ28	
Invisible	 EGFG		
Macchia Vecchia		 EKER	
Marquinia (Elegant)	 EGFN	 EGG9	
Nero Antico		 EGFW	
Nero Imperiale		 EGGY	
Quarzo	 EGFH	 EGFZ	 A EGG0 B EGG1

Range	1600x3200 - 6,5 mm STUOIATO - MESH-MOUNTED		
	Naturale	Full Lappato	BookMatch Full Lappato
Statuario Extra		 EJ24	 A EJ25 B EJ26
Statuario Michelangelo		 EKEP	
Statuario White	 EGFL	 EGG4	 A EGG5 B EGG6
Tortora Tafu		 EJ2A	
Concrete Ash	 EGGE		
Concrete Dark Grey	 EGGF		
Concrete Taupe	 EGGD		
Concrete White	 EGGC		
Stone Grigio di Gré	 EGGW		
Stone Slate Black	 EHV1		
Stone Slate Grey	 EHV0		
Tinta Unita White	 EGGH	 EGGK	

Range	1620x3240 - 12 mm STUOIATO - MESH-MOUNTED					
	Naturale	Full Lappato	Lappato Matt	BookMatch Naturale	BookMatch Full Lappato	BookMatch Lappato Matt
Agata Blu					 EK7X EK7Y	
Altissimo White	 EOZQ	 EOZW				
Arabescato Corchia					 EJ2F EJ6X	
Blanc Du Blanc					 EK8V EK8W	
Calacatta				 EOYG EOYH	 EOYX EOYY	
Calcatta Black					 EJ2D EJ2E	
Calacatta Gold					 EOYZ EOZO	
Calacatta Paonazzo					 EGJK EGK7	
Calacatta Renoir					 EOZZ EDED	
Crystal Diamond		 EGJH	 EGJQ			
Granito Blu Ande					 EGJL EGK8	
Invisible				 EOYE EOYF		
Macchia Vecchia					 EJ18 EJ19	 EJ6Z EJ70

Range		1620x3240 - 12 mm				
		STUOAIATO - MESH-MOUNTED				
	Naturale	Full Lappato	Lappato Matt	BookMatch Naturale	BookMatch Full Lappato	BookMatch Lappato Matt
Marquinia (Elegant)	 E0ZS				 E0ZY EH1J	
Nero Imperiale	 EGH1				 EGH3 EH1K	
Onyx					 E0Z2 EDEX	
Onyx Black					 EK7V EK7W	
Quarzo				 E0YC E0YD	 E0YS E0YT	
Statuario Extra					 EGJM EGK9	 EGJR EGLF
Statuario Michelangelo					 EDEF EDEG	 EGLF EGLG
Statuario White	 E0ZP	 E0ZV				
Tortora Tatu	 E0ZT	 E0Z3				
White Paradise					 EJ75 EJ76	
Zebrino		 EGJJ				

Range	1620x3240 - 12 mm STUOIATO - MESH-MOUNTED					
	Naturale	Full Lappato	Lappato Matt	BookMatch Naturale	BookMatch Full Lappato	BookMatch Lappato Matt
Concrete Ash	 EDL3					
Concrete Dark Grey	 EDM4					
Concrete Taupe	 EDL1					
Concrete White	 EDKF					
Design Corten	 EHUJ					
Design Raku Nero	 EDKD					
Stone Basalto	 EKCG					
Stone Grigio di Gré	 EGHC					
Stone Slate Black	 EHUM					
Stone Slate Grey	 EHUL					
Tinta Unita Black	 EGH7					
Tinta Unita White	 EDM6	 EFGM				

Range	1620x3240 - 20 mm STUOIATO - MESH-MOUNTED					
	Naturale	Full Lapp.	Lapp. Matt	BookMatch Naturale	BookMatch Full Lapp.	BookMatch Lapp. Matt
Stone Basalto	 EKFN					
Stone Cantera Grey	 EKCT					
Tinta Unita Black	 EKCR					
Tinta Unita White	 EKCO					



ANSI A.137.3 Gauged Porcelain Tile and Gauged Porcelain Tile Panels/Slabs ISO 13006 EN 14411

TECHNICAL FEATURES Caratteristiche Tecniche Caracteristiques Techniques Technische Eigenschaften Características Técnicas	TESTING METHOD Metodo di prova Méthode d'essai Prüfmethode Método de prueba	VALUES - Valori - Valeurs - Werte - Valores			
		6,5 mm		12 mm 20 mm	
		Naturale	Full Lappato Lappato Matt	Naturale	Full Lappato Lappato Matt
LENGTH AND WIDTH (A) Lunghezza e Larghezza - Longueur et largeur - Länge und Breite - Longitud y anchura	UNI EN ISO 10545/2	± 2% (Max 5mm)	± 2% (Max 5mm)	-	-
LENGTH AND WIDTH (B) Lunghezza e Larghezza - Longueur et largeur - Länge und Breite - Longitud y anchura	UNI EN ISO 10545/2	± 0,6% / ± 2,0 mm	± 0,6% / ± 2,0 mm	-	-
THICKNESS Spessore - Epaisseur - Stärke - Espesor	UNI EN ISO 10545/2	± 0,5% / ± 0,5 mm	± 0,5% / ± 0,5 mm	± 0,5% / ± 0,5 mm	± 0,5% / ± 0,5 mm
EDGE STRAIGHTNESS Rettilineità degli spigoli - Rectitude des arêtes Geradlinigkeit der Kanten - Rectitud de los cantos	UNI EN ISO 10545/2	± 0,5% / ± 1,5 mm	± 0,5% / ± 1,5 mm	-	-
ORTHOGONALITY - Ortogonalità Orthogonalité - Rechtwinkligkeit - Ortogonalidad	UNI EN ISO 10545/2	± 0,5% / ± 2,0 mm	± 0,5% / ± 2,0 mm	-	-
FLATNESS Planarità - Planéité - Ebenfächigkeit - Planaridad	UNI EN ISO 10545/2	± 0,5% / ± 2,0 mm	± 0,5% / ± 2,0 mm	± 0,5% / ± 2,0 mm	± 0,5% / ± 2,0 mm
APPEARANCE Aspetto - Aspekt - Aspect - Aspecto	UNI EN ISO 10545/2	> 95%	> 95%	> 95%	> 95%
WATER ABSORPTION (Average value expressed in %) Assorbimento d'acqua (Valore medio in %) Absorption d'eau (Valeur moyenne en %) Wasseraufnahme (Durchschnittswert in %) Absorción de agua (Valor medio en %)	UNI EN ISO 10545/3 ASTM C373	≤ 0,1	≤ 0,1	≤ 0,1	≤ 0,1
MODULUS OF RUPTURE Modulo di rottura - Resistance a la flexion Biegefestigkeit - Resistencia a la flexion	UNI EN ISO 10545/4	≥ 35 N/mm²	≥ 35 N/mm²	≥ 35 N/mm²	≥ 35 N/mm²
BREAKING STRENGTH Forza di rottura - Résistance à la rupture Bruchlast - Resistencia a la rotura	UNI EN ISO 10545/4 ASTM C648	≥ 700 N 250 Lbs	≥ 700 N 250 Lbs	≥ 1300 N 250 Lbs	≥ 1300 N 250 Lbs
IMPACT RESISTANCE Resistenza all'urto - Résistance aux chocs Schlagfestigkeit - Resistencia al impacto	UNI EN ISO 10545/5	-	-	0,85	0,85
RESISTANCE TO SURFACE ABRASION Resistenza all'abrasione superficiale Résistance à l'abrasion superficielle Abriebfestigkeit Resistencia a la abrasión superficial	UNI EN ISO 10545/7	Dark colors: 2-3 Medium colors: 4 Light colors: 5	Dark colors: 2-3 Medium colors: 4 Light colors: 5	Dark colors: 2-3 Medium colors: 4 Light colors: 5	Dark colors: 2-3 Medium colors: 4 Light colors: 5
LINEAR THERMAL EXPANSION Coefficiente di dilatazione termica lineare Linear thermal expansion coefficient Coefficient linéaire de dilatation thermique Linearer Wärmeausdehnungskoeffizient Coeficiente de dilatación térmica lineal	UNI EN ISO 10545/8	≤ 9 x10 ⁻⁶ °C ⁻¹	≤ 9 x10 ⁻⁶ °C ⁻¹	≤ 9 x10 ⁻⁶ °C ⁻¹	≤ 9 x10 ⁻⁶ °C ⁻¹
THERMAL SHOCK RESISTANCE Resistenza agli sbalzi termici - Résistance aux écarts de température - Temperaturwechselbeständigkeit Resistencia al choque térmico	UNI EN ISO 10545/9	Conforme	Conforme	Conforme	Conforme
HAIR-CRACKING RESISTANCE Resistenza al cavillo - Résistance aux craquelures Haarissbeständigkeit - Resistencia al cuarteo	UNI EN ISO 10545/11	Conforme	Conforme	Conforme	Conforme
FROST RESISTANCE Resistenza al gelo - Résistance au gel Frostbeständigkeit - Resistencia a las heladas	UNI EN ISO 10545/12 ASTM C1026	Conforme Unaffected	Conforme Unaffected	Conforme Unaffected	Conforme Unaffected
CHEMICAL RESISTANCE to high and low acid and basic concentrations Resistenza Chimica ad alte e basse concentrazioni di acidi e basi Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases	UNI EN ISO 10545/13 ASTM C-650	A - LA - LB - HA - HB Unaffected	A - LA - LB - HA - HB Unaffected	A - LA - LB - HA - HB Unaffected	A - LA - LB - HA - HB Unaffected
STAIN RESISTANCE Resistenza alle macchie - Résistance aux taches Fleckenbeständigkeit - Resistencia a las manchas	UNI EN ISO 10545/14 CTI 81-7D	5 No Evident Variation	5 No Evident Variation	5 No Evident Variation	5 No Evident Variation
COLOUR RESISTANCE TO LIGHT EXPOSURE Resistenza dei colori alla luce - Résistance des couleurs à la lumière - Lichtechtheit der Farben - Resistencia de los colores a la exposición de la luz	DIN 51094	Conforme	Conforme	Conforme	Conforme
RELEASE OF DANGEROUS SUBSTANCES (PIOMBO - CADMIO) Rilascio di sostanze pericolose (Piombo/Cadmio) Dégagement de substances dangereuses (Piombo/ Cadmio) Freisetzung gefährlicher Stoffe (Piombo/Cadmio) Emisión de sustancias peligrosas (Piombo/Cadmio)	UNI EN ISO 10545/15 (mg/l)	-	-	0	0




ANSI A.137.3 Gauged Porcelain Tile and Gauged Porcelain Tile Panels/Slabs ISO 13006 EN 14411

TECHNICAL FEATURES Caratteristiche Tecniche Caracteristiques Techniques Technische Eigenschaften Características Técnicas	TESTING METHOD Metodo di prova Méthode d'essai Prüfmethode Método de prueba	VALUES - Valori - Valeurs - Werte - Valores			
		6,5 mm		12 mm 20 mm	
		Naturale	Full Lappato Lappato Matt	Naturale	Full Lappato Lappato Matt
SLIP RESISTANCE Coefficiente di attrito Coefficient de glissement Rutschfestigkeit Barfußbereich Coeficiente de atrito medio	DIN 51130	R9	-	R9	-
	DIN 51097	Na	-	Na	-
	ANSI A 137.1- 2012 DCOF (Section 9.6)	≥ 0,42	-	≥ 0,42	-
	B.C.R.A.	≥ 0,40	-	≥ 0,40	-
	AS 4586: 2013 Slip resistance classification of new pedestrian surface materials	Na	-	Na	-
	BS 7976-2: 2002 Pendulum testers	Na	-	Na	-
	ENV 12633-2006 Method of determination of unpolished and polished slip/skid resistance value	Na	-	Na	-
CALCULATION OF APPARENT DENSITY Determinazione della massa volumetrica apparente Détermination de la masse volumique apparente - Bestimmung der Rohdichte - Determinación de la masa volumétrica aparente	UNI EN ISO 14617/1 (Kg/m3)	-	-	2500	2500
CALCULATION OF WATER ABSORPTION Determinazione dell'assorbimento d'acqua Détermination de l'absorption d'eau - Bestimmung der Wasseraufnahme - Determinación de la absorción de agua	UNI EN ISO 14617/1 (%)	-	-	< 0,1	< 0,1
BENDING STRENGTH Resistenza alla flessione - Résistance à la flexion Biegefestigkeit - Resistencia a la flexión	UNI EN ISO 14617/2 (MPa)	-	-	> 35	> 35
DEEP ABRASION Abrasion profonda - Abrasion profonde Tiefenverschleiß - Abrasión profunda	UNI EN ISO 14617/4 (mm)	-	-	24-27	24-27
CALCULATION OF FREEZE Determinazione della resistenza a gelo-disgelo Détermination de la résistance au gel/dégel Bestimmung der Frost-Tauwechsel-Beständigkeit Determinación de la resistencia a las heladas	UNI EN ISO 14617/5	-	-	No change in bending strength after thermal cycle - Nessuna variazione di carico di rottura dopo ciclo termico - Aucune variation de la charge de rupture après le cycle thermique - Keine Bruchlastveränderung nach Temperaturzyklus - Ninguna variación de carga de rotura tras ciclo térmico	No change in bending strength after thermal cycle - Nessuna variazione di carico di rottura dopo ciclo termico - Aucune variation de la charge de rupture après le cycle thermique - Keine Bruchlastveränderung nach Temperaturzyklus - Ninguna variación de carga de rotura tras ciclo térmico
CALCULATION OF THERMAL SHOCK RESISTANCE Determinazione della resistenza allo shock termico Détermination de la résistance aux chocs thermiques Bestimmung der Temperaturwechselbeständigkeit Determinación de la resistencia a los cambios bruscos de temperatura	UNI EN ISO 14617/6	-	-	No change in bending strength after thermal cycle - Nessuna variazione di carico di rottura dopo ciclo termico - Aucune variation de la charge de rupture après le cycle thermique - Keine Bruchlastveränderung nach Temperaturzyklus - Ninguna variación de carga de rotura tras ciclo térmico	No change in bending strength after thermal cycle - Nessuna variazione di carico di rottura dopo ciclo termico - Aucune variation de la charge de rupture après le cycle thermique - Keine Bruchlastveränderung nach Temperaturzyklus - Ninguna variación de carga de rotura tras ciclo térmico
IMPACT RESISTANCE Resistenza all'urto - Résistance aux chocs Schlagfestigkeit - Resistencia al impacto	UNI EN ISO 14617/9	-	-	3J	3J
VOLATILE ORGANIC COMPOUND EMISSION TEST Prova di emissioni di composti organici volatili Essai d'émissions de composés organiques volatils Messung der Emission von flüchtigen organischen Verbindungen - Prueba de emisiones de compuestos orgánicos volátiles	ISO 16000/9	-	-	Class A+ / Classe A+ / Classe A+ Klasse A+ / Categoría A+	Class A+ / Classe A+ / Classe A+ Klasse A+ / Categoría A+
RESISTANCE TO COLD LIQUIDS Resistenza ai liquidi freddi - Résistance aux liquides froids - Beständigkeit gegen kalte Flüssigkeiten Resistencia a los líquidos fríos	EN 12720:2013	-	-	Class 5 to Class 3 - da Classe 5 a Classe 3 - de Classe 5 à Classe 3 - von Klasse 5 bis Klasse 3 - de Categoría 5 a Categoría 3	Class 5 to Class 3 - da Classe 5 a Classe 3 - de Classe 5 à Classe 3 - von Klasse 5 bis Klasse 3 - de Categoría 5 a Categoría 3
RESISTANCE TO DAMP HEAT Resistenza al calore umido - Résistance à la chaleur humide - Beständigkeit gegen feuchte Hitze Resistencia al calor húmedo	EN 12721:2013	-	-	CEN/TS 16209 Class A / Classe A / Classe A Klasse A / Categoría A	CEN/TS 16209 Class A / Classe A / Classe A Klasse A / Categoría A
RESISTANCE TO DRY HEAT Resistenza al calore secco - Résistance à la chaleur sèche - Beständigkeit gegen trockene Hitze Resistencia al calor seco	EN 12722:2013	-	-	CEN/TS 16209 Class A / Classe A / Classe A Klasse A / Categoría A	CEN/TS 16209 Class A / Classe A / Classe A Klasse A / Categoría A
DIRT RETENTION Tendenza a ritenere lo sporco Tendance à retenir la saleté Neigung zur Schmutzbindung Tendencia a retener la suciedad	EN 9300:2015	-	-	No visible change - Nessun cambiamento visibile - Pas d'altération visible - Keine sichtbare Veränderung - Ningún cambio visible	No visible change - Nessun cambiamento visibile - Pas d'altération visible - Keine sichtbare Veränderung - Ningún cambio visible
SCRATCH RESISTANCE Resistenza alla graffiatura - Résistance aux rayures Kratzfestigkeit - Resistencia a los arañazos	EN 15186:2012 met. B	-	-	CEN/TS 16209 Class A / Classe A / Classe A Klasse A / Categoría A	CEN/TS 16209 Class A / Classe A / Classe A Klasse A / Categoría A
RESISTANCE TO FUNGI Resistenza ai funghi - Résistance aux champignons Beständigkeit gegen Schimmel - Resistencia a los hongos	ASTM G 21	-	-	No fungi - Nessuna crescita fungina - Aucune croissance fongique - Kein Schimmelwachstum - Ningún crecimiento de hongos	No fungi - Nessuna crescita fungina - Aucune croissance fongique - Kein Schimmelwachstum - Ningún crecimiento de hongos



SHADE VARIATION



Marmi



Stone



Design



Concrete



Tinta Unita

GREENGUARD



The GREENGUARD Certification process provides an in-depth review and analysis of chemical emissions from manufacturers’ products. Using dynamic environmental chamber testing, products are tested for volatile organic compounds (VOCs), including formaldehyde, and over 300 other VOCs with health-based limits. GREENGUARD Certified products aid in the creation of healthier indoor environments, and release fewer pollutants that can contribute to health issues including asthma and other respiratory issues. To remain certified, products undergo comprehensive certification testing on an annual basis, giving consumers peace of mind that they are selecting products that support better human health. Recognized and referenced by over 400 codes, rating systems, and procurement policies worldwide, the GREENGUARD Certification requires that products meet some of the world’s most rigorous and comprehensive limits for low emissions of volatile organic compounds into indoor environments. The GREENGUARD Gold standard includes health-based criteria for additional chemicals and requires lower total VOC emissions levels to ensure that products are acceptable for use in environments such as schools and healthcare facilities. In addition to limiting emissions of more than 360 VOCs and total chemical emissions, GREENGUARD Gold Certified products must also comply with requirements of the State of California’s Department of Public Health “Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions from known as California Section 01350.

PACKING


IMBALLI / EMBALLAGE
VERPACKUNG / EMBALAJE

Formato Size Format Formato Tamaño cm	Spessore Thickness Epaisseur Stärke Espesor mm	Pieces x Sqm Pz. x Mq. Pcs / M² Stk. x Qm Pzs x Mc.	Pieces x Box Pz. x Scat. Pcs / Bte Stk. x Krt. Pzs x Caja	Sqm x Box Mq. x Scat. M² / Bte Qm x Krt. Mc. x Caja	Weight x Box Peso x Scat. Poids / Bte Gewicht x Krt. Peso x Caja Kg	Boxes x Pal. Scat. x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal.	Sqm x Pal. Mq. x Pal. M² / Pal. Qm x Pal. Mc. x Pal.	Weight x Pal. Peso x Pal. Poids / Pal. Gewicht x Pal. Peso x Pal. Kg
160x320 Naturale - Full Lappato	6,5	0,20	1	5,12	81,92	see below - vedi sotto voir ci-dessous - siehe unten - vea abajo		
162x324 Naturale - Full Lappato	12	0,19	1	5,2488	152			
162x324 Naturale - Full Lappato	20	0,19	1	5,249	239,78			

Item Articolo Reference Artikel Artículo	Thickness (mm) Spessore (mm) Epaisseur (mm) Stärke (mm) Espesor (mm)	Size (cm) Dimensione (cm) Format (cm) Format (cm) Tamaño (cm)	No. of Slabs Nr. Lastre Nbre Dalles Anz. Platten Nº de Placas	Sqm per Pack Mq. x Imballo m2 / Emballage qm pro Verpackung m2 por embalaje	Weight of Packaging (kg) Peso Imballo (Kg) Poids Emballage (kg) Gewicht Verpackung (kg) Peso embalaje (kg)	Weight of Packaging + Slabs (kg) Peso Imballo+Lastre (Kg) Poids Emballage+Dalles (kg) Gewicht Verpackung+Platten (kg) Peso embalaje + placas (kg)
Crate Cassa Caisse Kiste Caja	6,5	168,9x329,6x15	14	71,68	140	1287
	12	168,9x329,6x15	9	47,24	140	1508
A-Frame Cavalletto Chevalet de transport Transportgestell Caballette	6,5	75x330x199,5	40	204,80	220	3497
	12	75x330x199,5	20	104,98	220	3260
	20	75x330x199,5	12	62,99	220	3340



MESH-MOUNTED SLABS
LASTRE STUOIMATE



All Level slabs in the 6.5 mm and 12 mm thicknesses are also available in mesh-mounted version.

Fibreglass is applied to the underside of mesh-mounted slabs to increase their mechanical and bending strength and simplify shaping operations.

Tutte le lastre Level in spessore 6,5mm e 12mm sono disponibili anche nella versione stuoiata.

6,5 mm et 12 mm d’épaisseur sont également disponibles avec filet en fibre de verre.

Il processo di stuoiatura consiste nell’apporre sul retro della lastra una fibra di vetro che ha il compito di incrementare la robustezza meccanica della lastra, di renderla più resistente alle flessioni, e di agevolare le operazioni di lavorazione della stessa.

Toutes les dalles Level de

Alle Level-Platten in Materialstärke 6,5 mm und 12 mm sind auch in der Version mit Glasfasernetz erhältlich.

Das Laminieren mit Glasfaser besteht darin, ein Glasfasernetz auf der Plattenrückseite aufzubringen, um die mechanische Festigkeit der Platte zu erhöhen, sie biege fester zu machen und ihre Bearbeitung zu erleichtern.

Dans ce cas, un filet en fibre de verre est appliqué au dos de la dalle pour augmenter sa solidité mécanique, pour la rendre plus résistante aux flexions et pour faciliter son façonnage.

Todas las placas Level de 6,5 mm y 12 mm de grosor se hallan disponibles también en la versión con red de fibra de vidrio.

El proceso de aplicación de la fibra de vidrio consiste en colocar en la parte de atrás de la placa una red de dicho material con el objeto de incrementar la solidez mecánica de la placa, hacerla más resistente a las flexiones y facilitar las operaciones de elaboración de la misma.

LEVEL



Emilgroup is a brand of Emilceramica S.r.l. a socio unico	Sede Commerciale/Amministrativa
emilgroup.it emilgroup.it/level	Via Ghiarola Nuova, 29 - 41042 Fiorano Modenese (Mo) Italy T +39 0536 835111 - info@emilceramicagroup.it